

Addendum For Logistics : Clocking and gravity

CG Common Space Rings - Space Binding – Space-time – FTL Translocation.

www.cg-s4.com

Space binding as matter attracts matter and conformance of the attributes of space within and around. An energy bond binds space with dimensional quality. The bond resulting energy pulls at new space. Space binding refuels the atomic with the presence of continuum as the components are pulled into a depressed orbit from zero point Zenith. This causes a continuum distortion of space between matter by displacement and hence the gravity bond which holds the stars together in the perfect solid. It is dual pressure of a shrinking and expanding system. One could say that the bond between planetary bodies is a concept lower pressure of space which is a one dimension meld perfect solid CG (Cretina Gemeen¹) δ a common dimension lacking surface for which greater than the universe is D4 δ mono dimension. In our system like any other we can say that in the past the sun did explode and we can also say with certainty that it will explode in the future, it is the same event caught in a moment of instance. This explosion can be physically experienced at a dimensional time depth of approximately seven and a half minutes in the past from the present. If we were on the other hand to travel logistically to the future the presence exerted dimensionally by the earth would as quickly dissipate from physical presence leaving greats like Jupiter to do the same fading from the presence of the sun. Time slows down with great dimensional stress as with gravity² and this the differential from here to there in space-time allows for what we know to be seconds minutes and so on. Two perfect solids can not gel to a single space time without h planck one has too account for separation likewise in SI transition S² presents a distance at location with co-variance.

An atom has owned depth covariance that is its space. And an atom gives it's space a


¹ Akademie voor Nuuze Vlaamsche Tale (Vlaams van Frans - Vlaanderen het latin)

² Rymd Forum Institutet för rymdfysik – Anders Eriksson, Lars Eliasson - 2011 published articles IRF www.rymdforum.nu

energy surface by in concept spinning around it at the speed of time concocted by it's lowest clock points (complex space-time) of sine " transition " ³ elementals. Failing this speed results in lost time the origin of decay acceleration which is an energy state. Space cannot support two-dimensions without collapse because space is one-dimensional. Bonded space is surfaced two dimensional space hence radiated away. A radiated element is an embryonic mass with meta mass or energy which is lost time also because space lacks a second dimension it flows perfectly between dimensions able to exist in dual dimension creating a backbone for time yet unable to attribute vector quality in mono dimension. Light seems as traveling in space at velocity does not slow down as it radiates because it forms and collapses on dimensional stress without hinder in a common dimension where it is mass less but none the less represents a mass energy from sine. There are forms out there; the energy surface that an atom gives to owned space is brought into existence with energy as it is always trying to occupy more space a surface ` requisite for time ` . A concept view of an atom is thereby conceptual as an atom is composed of layered surfaces, composed of rings, radiance being a single ring varying in energy thereby structure. An atom occupies many dimensions clashing with the present so we need to examine a single common space-time as occupied by mass or radiance.


Time - Light Speed:

Time is a difference of existence and void of existence where speed of radiance can be seen as a measure of a speed of time. However this is not at a universal function of seconds, minutes and hours rather a wave's temporal. Time existence as we know it is essentially a combination of a two-dimensional time dimension. You cannot have a wave in one dimension.⁴




³ July / August 2010 - Issue 92 - Infinite energy - Frank Znidarsic - F. 2005. A Reconciliation of Quantum Physics and Special Relativity, General Journal of Physics, December.

⁴ Einstein, A., Lorentz, H. A., Minkowski, H., & Weyl, H. (1952). The Principle of Relativity: a collection of original memoirs on the special and general theory of relativity.




Since space-time exists across dimensional planes of existence, the result is time here as spatial distribution embryonic matter light radiance is between dimensional planes. Light is thereby in a state of inter-existence existing as a wave. One of these dimensions is common of D4 in nature a mass and existing while the other is not residing as void with potential to exist.




This exhibit of radio shows time (a surface) existing both positively and negatively reflecting two transitioned dimensions of time and how radiance can originate with bipolarity.⁵

⁵ Giovanni Modanese - Large "Dipolar" Vacuum Fluctuations in Quantum Gravity - California Institute for Physics and Astrophysics

In the illustration above you can see light traveling timelessly forward by uniting two dimensions to a single location as it flows (in gradient) inversely between dimensions; single sine bi-dimension space-time and because two or more dimensions are shared at a single space time (location) Helmsz inversions⁶ take place propagating light and wave function propagation being a "chromo dynamic"⁷ boundary of transition through dimensional spectrum.



Since a void-dimension only exists potentially in the future; the present is a reference by which matter can exist. The future is therefore referred to as a void dimension coming into past inversely where it elapses again to a future, event time.




This exhibit shows light / radiance / radio traveling with the speed of time in absence of a void dimension future. Since it's dimension of future does not exist within our dimension; the sine is seamless and affords concurrent time with existence of light / radiance within a bandwidth of D4 being itself of CG.

⁶ Stefan Tubman – Rydbergs Johanneberg Göteborg Sweden 2004 Helmsz reversions


⁷ Michio, Kaku (1994). Hyperspace: A Scientific Odyssey Through Parallel Universes, Time Warps, and the Tenth Dimension.

Physical:



We show a physical existing with complex three physical dimensions as exhibited above consisting of a dimensional ring in fourth dimension of time which offset one another achieving physical stability and existence, owning space, in what can be described as a fourth dimension of time (D4)⁸; there are popular arguments like R^2D^2 and also D5 should one consider origin for point . The particle then achieves this stability by unifying four dimensions of time to a single space-time, which is at a standstill and is present. The present is thereby an accumulation of past, stasis. The future is an accumulation of the present. A particle is essentially the same as light / radiance / radio except that it has been rebound to include a third and fourth dimension.

fourth dimension space time




The exhibit above is color coded to show the fourth dimension space sharing of time in white. We experience reality in fourth dimension with other dimensions sharing a common element of existence D4. Radiance of a particle evolves from our reality D4 in the fourth dimension and exists in an ~infinite recurrence of void dimensions separated from the particle by referenced space-time unified universe. Thereby with each

⁸ Hermann Minkowski - Minkowski space – contrasting spatial geometry - Raum und ziet 1909 Liepzig.

transmutation of radiance being unique and distinct from the previous representation of a distinct space-time and changing existence. You can notice a three dimensional particle unifying the space-time differential in a fourth dimension maintaining an absolute space-time in present contrasting a two dimensional sub element which exists in one element of a fourth dimension. Common to all dimensions for matter existence is a D4 'frame' bind with void dimensions of " future" coming into existence.


Ring Dimension:

In order for a ring⁹ to exist three dimensionally in a fourth dimension, it needs to have an exist as four dimensional (ad unknown) complex times for the elements of the fourth dimension through rebind.



So in the exhibit above, time 'a surface' in the fourth dimension is traveling at all directions unified to a fourth dimension particle. Each half of the fourth dimension physical exists in two dimensions as a fourth dimension seamlessly unifying existence with singularity. We can see rifts, divisions and fractions of the fourth dimension evidenced by materiel radiance. Radiance in fourth dimension is timeless spanning its timeline, bar extraneous influence, timeless with the fourth dimension coming into the present from space-time void dimensions.


Common space Ring Component:



In the exhibit above there are two arrows indicating fluidity. However this is in the reference of one unit of time space in a fourth dimension, which is timeless (the present), so the arrows are conceptual. Distinct dimensions represent surface with one unit of time in a fourth dimension planck (-1). Inside the ring is common space CG at a conceptual


⁹ Leonard Susskind, Phys. Rev. Lett. 71, 2368 (1993). *String theory and the principle of black hole complementarity*

decay from sine. So to say that the two-dimensional ring is made of light or radiance (energy / wave) would be accurate. However with it's disposition a ring must be completed with another half of time fraction.




Since arrows are conceptual and illustrative, we have the following ring in two dimensions supported by base common space mono one and two to convey vector.

ring




A radiant ring cannot exist in fourth dimension which has three physical dimensions or it would seem to be traveling as radiance inter-existence. A ring must be rebound in a third incorporating fourth element, time, to make a three dimensional solid with height width and length resulting in the physical of the four compliments of the fourth dimension which recedes into the present away from the future at the iteration speed of time. Binding in third and fourth is event as binding reverberates between two mono dimensions bearing vector. A conceptual pressure difference at tangent of re-binding in three dimensions unifies a fourth element to a solid space-time where fourth dimension is juxtaposed; a juxtaposition that binds D4 to a static CG frame.

Rebind:



This illustration above shows a rebind. A rebind is an intersection, space-time; if you then

look at sine, you can see how a fourth dimension unifies to a single D4 space-time occupied by a particle three dimensionally. This is an intersection compiling fourth dimension separately supporting dimensionality which can then support a three dimensional solid versus radiance which is physical and three complements having surface. Space is twice inverted in two compounding dimensions to stand still physically in time between the future and the past. This is a particle present occupying a single complex space-time in CG as a solid distinct from common space¹⁰.




Issues of Logistics:

Can we logistics travel back through time?

Not by translocation in the fourth dimension of space-time at any speed as CG and D4 are seamless with singularity and a present must ride. In order to do so, one needs to transform a state of existence from a fourth to selected void dimension, a future, supported by complex dimension. What is potentially possible however is to travel instantly from one location in the fourth dimension to another in a timeless reference of time fashion because space is solid and this is exciting. In order to see the common space ring in the past we must perceive it in fourth dimension at a distance. In order to see it in the future, we have to perceive a void dimension and it can only physically exist in the dimension from which it is perceived with a correct complex space-time composed of CG and infinity of recurring ad hoc void dimensions. Should you achieve to speed up the rate of time in a location you must consider that CG is physical and timeless and therefore you will only succeed in altering the physical state and presence of elemental in that location (see dialogue).

¹⁰ Michio Kaku; (1995). Beyond Einstein: Superstrings and the Quest for the Final Theory. Oxford: Oxford University

A sub space effect hyperspace Lorentzian:



Lorentzian


Should space-time D4 become distended¹¹ at unnatural speeds increasing with velocity (reduced proximity with void reference) chromo-dynamic transition with regard to adjunct space-time; where 1:00 hour transition in vehicle equates 1:00 + X hours transitions on earth for $V^e = \text{D}$ a temporal . The exhibit above shows a conceptual view of this distension to the common space ring element at zero point in the direction of travel. This state of distension is relative to what is adjunct, near space time. A vehicle would by account disassociate with reference to its surroundings ceasing to share D4 in the same physical dimensionality of presence as adjunct D4. However the vehicle remains in D4 with it's zero point pivoting in velocity. Disassociation measurable in the locality becoming an altered state with all traveling within a band of velocity. Ad infinite velocity this is an altered physical dimensional noted in pre emptive relativity to be qualified as increasing in mass hence hyperspace could be described as existing below time. There is the relationship of time and acceleration and this is postulated distended by velocity by relativity; separate phenomena. For Lorentz distension causing local collapse of D4 physicality resulting a hyperspace dissolution rather effect plausible "quantum chromodynamic transition"¹² RGB-V to a tangent of time where for a vehicle; time propagates faster in surroundings having reduced proximity to void reference which results from acceleration and expression of velocity by chromo-dynamic transition is a velocity expression and not an argued temporal paradigm as with Lorentzian / special relativity arguments.

¹¹ Einstein, A., Lorentz, H. A., Minkowski, H., & Weyl, H. (1952). The Principle of Relativity: a collection of original memoirs on the special and general theory of relativity.

¹² Michio, Kaku (1994). Hyperspace: A Scientific Odyssey Through Parallel Universes, Time Warps, and the Tenth Dimension.

A hypothetical hyperspace effect; in hyperspace the vehicle eventually becomes undetectable in CG dimension and ceasing interaction with a common dimension at mode of space time. Time is a dimension shared in D4 in different spectrums and this a relationship of distance as an element of time remains valid with quantum chromodynamic transition for velocity replacing an increasing mass argument a modern concept.

You could say that the time from where you are and four light years away is four years but you have to bear in mind your frame of reference. Your frame of reference is the present and you must also bear in mind that CG is at a complex time dimensional stress of which distance is an attribute and in which every space-time is unique. Complexities such as the exertion of a systems gravity aura which is shown determined to slow down time having an effect on the propagating of light and wave forms; speeding up from viewpoint of the observer. Then there are physics aspects that are as yet undetermined effecting luminal dynamics such as temperatures¹³ along with free space subatomic



particle saturation¹⁴. Postulated is that should a body exceeds light speed in a unified

¹³Lene Hau Vestergaard - Department of Physics, and Division of Engineering and Applied Sciences, Harvard University, Cambridge, Massachusetts 02138, USA


¹⁴Hawking, Stephen W. (1992). Stephen Hawking's A brief history of time: a reader's companion.

singularity as our universe it would be as a system at rest in itself where like a black hole with zenith impasse, it would not be visible nor physical as departing or approaching and taking on the property of a contained and isolated system.

Dialogue:

So if you are in your vehicle time stands still.

No. Time is an invention of constancy to measure the dimension of time D4 at a standstill. What if you have two clocks in two ships? No. They both arrive at their destinations with the same reference to time (present) having both experienced passing of the present at different levels. Propagating of physicals in a digital time piece does not reflect a present value time, atomic clocks are just that; atomic and mechanical stopwatches difficult to gauge. It is with a notion and opinion that time is a complex inclusive of the biological and mechanical experience change in which would go unnoticed for example to the capillary clock of a plant. Where the present value of time is 2:1 on a vessel, two hours spent on that vessel in deep space equates to an hour spent at ground port (seconds, minutes, hours). Low dimensional stress environments (increased proximity with void referencing) dilates time in a location or causes propagation to the present at an acceleration rate since temporal presence referencing universal dimensional stress is dilated¹⁵ for example on a planet.



Refer: increasing mass with velocity vs. quantum chromodynamic transition .

¹⁵ Steven Dinowitz Physical Essays - Field Distortion Theory – 1996.

For instance there are three locations at each it's own temporal we denote as A, B and C. Then take the earth as the middle temporal with location A at a near standstill and C being at a accelerated temporal relative to B. At Location B one has three clocks running at rate of each body, all three locations are present. Then send a vehicle to location A which in turn returns back to C and back again to be relayed to B. There is no opportunity for the vehicle to lapse the initial boarding prior to its departure. Communications via email however may be corruption compromised with multiple messages being sent through cohesive messaging to the various ports.

In hyperspace conceivably a vessel can achieve a value of depth related presence relating an attitude velocity with CG in reference a metaphysical referring parameter existing at dimensional space time which cannot reference integral to universal temporal of Planck baud iteration constraint. This physical is characterized metaphysical with view that a ethereal matter property is imbued with time depth and presence in the s^2 field presented for which increasing or decreasing proximity of void with another body is a tangent divergence with \Leftrightarrow result due to commonality reference \wedge of expressed chromo dynamic transitioning of a defined equinox at CG planar for a vessel's presence; alternate planars becoming attractive maintaining 0 fluidity. Acceleration \Rightarrow temporal value associate where associated velocity in free space $\Rightarrow 0$ fluidity; temporal confines in a gravity well depends on attitude with system wide center of gravity well. A verified effect of velocity respective of gravity well attitude versus acceleration remains to be observed.

Comment:

The seemingly unsolvable dilemma of distance determination using clocks is now conceivably within grasp by use of time stamped flat visuals from known points having velocity of imaging and a time stamped flat file visuals of points midway in deep space with known point flat charts for interpretation by trigonometry telemetry reflecting dimensional stress dell (∇) divergence assertion requisite for transportation authority. An often sited folding of space as one would a piece of paper bringing two points closer paradox illustration by numerous different speakers at

many podiums.

Dialogue:

So it is impossible to exceed the speed of light as nothing known exceeds this speed.

No; an explosion travels at the speed of light in the bodied dimension. If one could capture such an explosion of material and reverse expel it at the speed of light, being matter, it follows that you can obtain twice light speed. Kinetic energy +/- difference is functioned by timely decay as resistance to pry owned space at any speed of competition in common space¹⁶. There are numerous states of energy complex and matter complex.

MVE (Mass Velocity Energy)


An infinite mass argument of velocity turns on itself as paradox¹⁷ argument since accelerating any mass past the speed of light with an accelerant which is limited to the speed of light becomes infinite to accelerate at that \Leftrightarrow barrier. Relativistic observation catalogs increasing mass (ambig.) with velocity and can be better expressed as increasing presence with velocity difference V is integral to difference P where P denotes temporal presence, fluidity, which takes into account dimensional stress variance at locality validating a geo space-time temporal value for gravity well attitude and acceleration.

$$V^{\text{integer}} \sqrt{\frac{t}{s^2 12:00 (9.81)}} \neq V^0 \sqrt{\frac{t}{s^2 12:00 (9.81)}}$$

¹⁶ Hideo Hayasaka and Sakae Takeuchi - Anomalous weight reduction on a gyroscopes right rotations around the vertical axis on the earth - Department of radiation engineering, Tohoku University, Sendai 980, Japan August 1989.

¹⁷ Michio Kaku; (2008). Physics of the Impossible: A Scientific Exploration Into the World of Phasers, Force Fields, Teleportation, and Time Travel - SCI FI SCIENCE presents


A resulting observation includes velocity as subset factor in relativistic mass calculation unspecified (ambiguous).



$\Delta s^2 (\Delta sv) = D$ where D is collective spatial expression of 90° in this illustration propagation x to z versus velocity.

Observations :

In a curved space like location planet earth well, gravitational pressure, more specifically it's product kinetic energy is exerted convexly reflecting the spherical planet inherently. This when applied geometrically to traversing at given velocity in our system the record has to take in account this fact as one token argumentation perspective contrasting relativistic mass observations. Geometric occupancy change of a spherical or uniform body traversing in this space one can note faces the following confine.



Kinetic velocity / energy in any direction, \rightarrow center of gravity in a gravity well, including upwards (away from) under spherical constraints geometrically attempts to

occupy a volume of space as defined by linear curve gravitational constancy which is not equal to and in fact less than the space which it previously occupied resulting in a kinetic dynamic possibly leading to a false conclusion that the mass of a object is subset of it's velocity and operand thereof. In fine print this would also require consideration of elevation attitude of the traveling object at 90° of center of mass and possibly requisite control of observation. Bearing on this topic, a neutral mass transitioning matter state at any location for space-time mechanics with regard to relational speed of time is a liquid matter state where \oplus of $\mathbb{Z} S^2$ devaluation paired \mathcal{D} of sine horizon \wedge either side of that solid state is a \mathcal{D} of space-time local h CG. Energy being a collective of \mathcal{D} occupying a transitioned dimensional plane at t^+ excess of D4 aggregated constant and consequently exhibiting a distinct stable clock dimension at s^2 correlates with energy common in regard to time iteration, fluid concurrent CG / D4 difference of $\sim \exists$ present; concluding that confines of a mass in motion:

$$s^2 (\sin \leq \cos) \wedge s^2 (\cos \leq \sin) = V^e$$

A logical argument where in practice a difference of veer is noted in transition, this said, collider research does not apparently focus on kinetic dynamics for the time being. To curve space requires a definition of the global space from a point and thereby a curved space becomes a curvature of the defined space by lateral graviton expression of S^2 . In a closed system with reference from prime star, space references as not curved, referencing planets at a common dimension of time, it curves locally giving locations temporal values integral to space-time at a function of gravity. A curved space for the universe being a reference to a CG planar dimension for which expansion can take place created by singularity at boundary $t^0 \Rightarrow t^1$ of creation \Rightarrow equating \exists in moment of a physical constant.

Speed of time in D4:

Time is expanding and contracting in a bi-polar dimension. The future being a reversal at rate of the past regarding the present for radiance, where the unit yardstick is represented in the overlap of past and future resulting from a velocity with regard to the space-time dimension. With reference to the future; existence is in the past and contrary for the past hence the two are void dimensions of one another. You can therefore calculate a speed of time (resolution) using distance, which is a variable of time planck. However this is not at a global function of seconds, minutes and hours. In view of this we can say that the time depth of a system is determined by the mass center of the system in question. Time in CG is field at impasse Zenith standstill a gel surface with area S^3 and it has no iteration because it is a merged dimension. A meld where matter presents a complex space-time therefore greater space collectively and less presence of space-time comparison D4 (dimension sharing) geld perfect solids so energy becomes a requirement for radiance; exhibit dilation gravitation and rectify / formatting¹⁸ a space time. Velocity with an attitude away from a gravity well equates acceleration and not towards it for temporal complicity.


Radiance dynamic correlating $t^0 \Rightarrow t^1$:

In absence of time a wave form presents a torus composite of an immiscible dimension that physically exist on opposite sides of two \Leftrightarrow distinct dimensions. Where two dimensions share a location being distinct from origin, alter dimensions, perfect solids moving relative to one another at vectors not referencing each other results in a \mathfrak{D} , distinction that does not physically exist in either having no reference of a vector (heading) indexed space time existing in a fourth separated spatially resulting in maintenance of a physical presence propelling a wave form with reference to adjunct space-times. Propagation is a difference of that which is distinct from the wave forms gravity signature posing furthest possible global body potential for migration and consumption. For a wave forms space-time where on adding time separation with a

¹⁸ Weak gravitation shielding properties of composite bulk superconductor below 70 K under e.m. field. Research by – Yevgeny Eugene Podkletnov - Moscow Chemical Scientific Research Centre - 113452 Moscow – Russia - 1997

gradient from null; a location is collided to an occupied point in a mono dimension existing not present in two locations . Thereby with respect to being either a dimension in a magnetic body or a body immersed with CG a planar zero value for a torus is \oplus logical of both points origin with an indexed zero point plane by a wave function defining by its space-time values separated from a distinct dimension's gravity signature it's anti-verse; an exclusion shadow, which shows with a logic for a torus wave form. A resulting wave encompasses a static field of body of static vectors at 0 referencing a zero point plane of an electromagnetic where there are evolving differences of potential distance since a CG space-time is shared. A dynamic results from time existence of a surface with potential values at a planar space-time difference in a direction potential of a vector coinciding that it's opposite forms share configuration index arrangement with static fields where magnetic potential is a gradient vector arrangement of potentials resulting in a geometric curvature. For a universal body (distinct dimension) an occupied space-time (a surface) lowers the potential for migration for any other global location considering that potential to migrate to a previously occupied location is mitigated by \oplus logical since rate of change within a singularity is null and a void. An electromagnetic 's propagation becomes then a natural velocity being a cosmologic expression of \mathbb{D} when origin vector imposed value dimensions compete for maintenance of distance potential for an electromagnetic 's plane indexed S^2 estranged from dimension void solids and having time existence in origin; dimension existing with distinct planar values, forces that are referenced in relativity as a cosmologic constant and noted with Mach's Principle.


Since a dimensional void solid presents a potential mass value of infinite mass, as with the big bang coming into existence, referencing a zero time value considering it's rate of change is null \rightarrow foreign dynamic; it is a perfect planar mono dimension solid which for a distinct dimensional cannot exist with vector referencing necessitating expression of plural values, removing distinction.



Illustrated is planar mono dimension represented with a straight line supporting a single value (distance of two points) indexed by a dimensional zero point \mathfrak{D} in D_4 of universal distinct from a complex planar value of CG being referenced by a plural of voids. Shown here as a distinct dimension functional for (electromagnetic) which is time surface, value of distance away from null, resulting from co-location where progression $t^0 \Rightarrow t^1$ presents an optimized equinox zenith over time t^1 / t^0 of universal \mathfrak{D} ; it's zero field planar reference to space-time D_4 changes along with potential of expressed distances which is a \mathfrak{D} of an evolving optimized equinox zenith where \mathfrak{D} is relieved by propagation away from an indexed gravity signature, presenting a prize of potential in a void for any \oplus potential to surface as electromagnetic dimensional factoring any velocity other than origin of this signature. An evolving index of time as with $t^0 \Rightarrow t^1$ in CG by a mono complex dimension such as electromagnetic radiance requiring time surface to be unified as singular in a plural of voids where rate of change does not realize a vector of values exhibited by \oplus of a singular value; a distance, resolution equated with force such as pressure and absent of directional quality $\vec{\lambda}$. An observation for which energy is surfactant to \oplus by gain of void potential is where long wave forms are consumed with low energy yield when radio attains equinox dynamic planar reference existing as a

surface and a consumable separated by time-distance potential \mathcal{D} being \wedge verso \vee at a location (antenna skin) presenting time \mathcal{D} altering a wave packet which does not occur in free space \rightarrow permutation being a result of \mathcal{D} .

Perspective:



negative reference planar floor


S^2

This illustration shows a torus wave form with a gradient indexed reference of \mathcal{D} at S^2 a void and is between existence existing above a planar S^2 dimension (having energy) convex to concave property exhibit weak gravity shielding. A torus with its shadow reference of a void concurrent propagates with drag since CG planar cannot consume it's reference to void hence propagating at a velocity rather than an acceleration for example as with a parachuted fall such that acceleration is matched by a coefficient drag. For the void dimension S^2 presenting a potential with gravity signature. Seen here a electromagnetic wave form shows a singular sharing a point at center of plane of positive reference which is it's complex point for space-time coordinate; complex because the point is referenced and is a \mathcal{D} . Seen in this way it is this point at center positive plane


space-time that gels with fictitious quality x' since the torus both gels and \mathbb{Z} reflecting a gradient with a void $\Leftrightarrow X..Y$ presenting. Plane of positive reference is this wave forms surface with a radial minimum of one Planck unit ($r \geq h$) referencing planar floor void as focal absent in radiance $s^2 \mathbb{D}$ null¹⁹.

Dipole of time at s^2 and $(0) \mathbb{D}$:

One dimensioned perfect solid without surfaces it is it's own zero point.



Dipole of a property of a mono dimension implies distance with S^2 at $(0) \mathbb{D}$.




As it is not possible to represent a singular point without distance as it implies a different dimension unless the point in question is the absolute center of the dimension;

¹⁹ Lene Hau Vestergaard - Department of Physics, and Division of Engineering and Applied Sciences, Harvard University, Cambridge, Massachusetts 02138, USA

from the configuration of the dipole field above we see that space defining a point is inverted going from positive to negative.

With universe expansion or D4 contraction, distinct dimensions of the universe are at their own velocities also distinct of each other with regard to the common dimension in which the universe sits depending on fixed point (Vol) distribution.





Reflecting a point takes on an exponent as noted with s^2 since the origin distances of dipole end positive and negative represent a vector of velocities referencing one another.

One can take a look at a wave which exists has time and is represented in a one dimension.




Representing



Notice four values in distinct dipole presence dimensions that can each express a difference of two values. A difference of two points X, Y in the common dimension representing four separated values can do so reflecting three commonality values at any


one point along the dipole with a spatial difference that cannot exist, a surface which is foreign, referenced away from s^2 , presence of the wave with time dimension, a surface separating all three points completing a dipole at a distance from s^2 which is null and unique located at (**N+**).



A fourth point (-) in this configuration shown here does not exist with a corresponding dimension and is a momentum of origin dimension location and is a void reference.


In order to connect at three points in one dimension of a dipole, two paths of connect are necessary. One of the two paths needs to intersect and go around the other and in so doing, it requires acceleration; a monopole cannot show acceleration without dipole split to include acceleration with a distance $X \vee X + 1$ where we now have two distance points at a mono dimension location. Connecting three points in a mono dimension results in \mathfrak{D} , resulting in potential of a momentum from suppression of a velocity, all possible points (two point transition of null) in a mono dimension of a dipole are connectable at any level physically having different connect potentials with values.

Void singular absolute 0 where \mathfrak{D} is null singularity as with closed loop




There are four generic least distance routes on axis of acceleration to the point referenced by the null of the fourth dipole and bar vector values which have a commonality with the waves unique mono dimension and changing potential values which are lower in the dipole opposite for which propensity chart can be made to represent.


a. where intersect plane exhibits v




b. where intersect plane exhibits \wedge



c. where intersect plane exhibits (0) fluidity and is gradient static.



d. where intersect plane exhibits (0) fluidity and is gradient static.



A wave incorporates two vectors CG- and CG+ having four values of which three are expressed requiring transition to express all values. An unexpressed value of momentum has a presence of direction relevant to three expressed values; a direction of an unexpressed value presents a least distance route factor of a reference point. Generic routes described have in each of their intact dimensional values a vector directional ordered at the angle of origin in order to complete in a null dimensional void $\#$ of decay. A contact velocity of two dimensions has to be regarded as non-negotiable or (!) to the dimension of the wave. This leaves our wave represented with 3! intersections, at intersect point of a shared location, the point is decayed for transition for instance location of the common dimension giving the wave an unexpressed gravity signature on transit; a decayed angle of velocity vector results in a inversion of values reverting to the vectors with original latent angle. The wave's gravity signature exists only as an indexed reference point or depth for which there is some value of competition at a dimension of velocity potential common to this wave. Since a transition is occurring necessary to reflect a fourth point is a decayed value point of its own gravity signature where the wave cannot factor its fourth value representing furthest global distance common route for transition having velocity and polar orientation. Velocity being expressed unilaterally results that this signature is a mono dimension of all expressed dimensional values at that location (\oplus) one unexpressed velocity which is a reference to the gravity signature. A fourth value does not transit to a gravity signature sharing dimension with 3 counterweight values for which a singular value embodied by the field depth (gravity signature) is greatest distance. On transit, directional momentum is preserved having consumed a value at initiate leaving three values and a deprecated route for return to D4. In completing transition the wave navigates a unique dipole dimension with a zero point of two values defining a future and past anchored to a common dimension (\oplus) unique dipole in a dimension of natural state of least cost route (0) verso \mathbb{D} sharing a pivot at an extreme of a dilated dipole common space and propagating on a level with reference to a speed of time. Seconds, minutes, hours represented in the distance of leap between existence and non-existence and is a surface with propagation rate being a spatial tandem of dimensional separation with zero point S^2 being a point click where a singular dimension is metamorphosed to a distinct other. The result at a celestial level is a body that inverts

mono dimension representing a greater space to the whole pointing to reversion while sharing location tangent time at instance.

Speed of Light:

We then need to consider that dimensionality of D4 is simply a metaphysical aspect of a single unified dimension. Dimensional stress of time is then stress of CG (all matter) on a global space-time D4 being a mono dimension solid. Then by a measure increasing or decreasing this stress on a location allows recess and progression of time; thereby the argument that velocity is an attunement of stress where exceeding the speed of light causes travel to the future (see hyperspace argument). There is also an argument that travel from A .. B at speeds in excess of speed of light is tantamount to having traversed a distance in less than an instant. Also we know that the speed of light has been historically argued for research to be constant; for purpose of logistic, time is a universal constancy of zero for equilibrium balance and continuums equilibrium requires instrumental evidence of inflation. Theoretically here one can say that distance of an event instance is the same for any occurrence and measurable noting instance covariance distance x^+ . There is a two dimensioned length, height of a complex space-time for radiance generally same for all planck bound occurrence. Existence of radiance being two dimensional has length, height requiring three space-times revealing that the space radii occupies is curved²⁰ as this is nature of the two together in migrating X .. Y coordinates of a bi-polar migrant matrix.

XOR (\oplus)

0	0	0
0	1	1
1	0	1
1	1	0

Radiance cannot be rendered complete in a mono dimension that is static for which

²⁰ Einstein, A., Lorentz, H. A., Minkowski, H., & Weyl, H. (1952). The Principle of Relativity: a collection of original memoirs on the special and general theory of relativity. Courier Dover Publications. p. 111. ISBN 0486600815


space-time dimensions, perfect solids, occupy singular planes by \oplus . Attributes of space are denoted by energy of radiance; radiance fit within allotments of space-time corresponding with a continuum identical for reoccurrence future bar extraneous \mathfrak{D} along s^2 linear to UDS. A space-time event is singular in occurrence fitting an allotment defining its space-time within continuum of time as events in themselves are timeless at iteration universal completing event time loops for a 5'th void dimension of future transit. \therefore time is universally at a standstill overlap and present expressing duality, events relate to one another as emotive - existing with a physical D4 realm dimension for which common space is also bound with perfect inelasticity (reference h) requiring an expression of energy for existence. Concurrent time null as a universal stress invariance is a factor relating space-times A .. B sharing a plane of existence. Since past and future equates present - duality negates future for D4 with every occupied space-time sharing a commons of existence for concurrent CG.

Wave length is relative to its frame of time such that the length of waves travel at the same speed because existence is measured by a spatial attribute or 2 x 4 constituting energy and physicals; time propagation is a rate of arrested gravitation result velocity thereby time is locally constant in space-time theory; a wavelength is noted measurable in present moving at a speed of time determined by common space allowance at a relevant space-time global value \rightarrow radioactive contusion. Propagation here takes place with differentials; CG's value at any iteration of travel due to orientation, spatial construct, time and dimension become a merge. We can from this be brought to grasp that distance and not time is factor of separation; the past from a future is a function thereof. The use of units of time to measure iterations of time becomes dysfunctional as it breaks down in mono dimensions of a global declaration to reflect lengths in geometry of a space-time and not a duration since in one dimension a duration can be an accumulation X^+ , missing is sum total of components; present colliding an event persisting. In propagation for radiance an inversion to a future is abject of previous iteration as dimensional divide is carried through plurality, consistent diffraction is evidenced, high and low frequencies delivered with an even rate of change for luminal propagation. Space-time differentials are finite having duration equal in unique space-

time events spaced with variance of dimensional stress and radiance propagating at a rate of locality. When comparing a long with a short wavelength then a question becomes is it possible to measure an event by length (surface) of a wave or by how long time is a present event time. We have already ascertained that the present is a singularity dimension; timeless resulting that iteration fractions of a time are missing components; one can regard an iteration as becoming length unit interpolating to height unit of time surfacing, an iteration rendering radiance.

Time as understood cannot then be an issue of any one dimension and it becomes possible to deliver five waves and one in interval at any Δ such as they are apparently within the same reference to time distance, both concurrent at rate of change. Stress in this scenario wavelength, spectrums of a space-time become factors determining a recess of absolute time at location, a rate at which dimension space is elapsed to a future unique. A radiance traveling as a spark would from past to future; we can say then that dimensional stress of instance is at a variance in space-times of two frequencies. A past as relating to a future is separated by relationship of distance with common space integrity which represents present so that radiance exists in the present at rate of change (time). Then calculating length of an iteration of time represents length attribute of present, space-time CG affording length, height, attitude with duration for radiance.


Telemetry



An ethereal past and future has owned space which is a perfect solid as a separator thus space-time is spatially divided. Traversing then A to B and C of time takes on the continuum of the dipole dimension which perpetually is repeated and preserved in D4 as a physical. So in absolute terms the space is static as the pulse shifts from A to B and back again at the time temporal pressure. Because in propagating from A .. B an event has occurred, time event, surfacing, a going around hyperspace in what is a loop of the dimension what is as the dipole of a spherical body (sic. spherical body Saturn). This is explained as the time continuum where through time a circle is performed yet in time it is as a wave pulse. So taking the spherical which in mono dimension is not coefficient sine and running a line through it the halves are unique whereupon addition time acceleration (surface) x' of the event and we have a pulse of gain in D4 at time iteration. A diametric traveled may be greater or less in any instance denoting temporal rate gravitation however as time is a given meld constant from continuum this gives sum unison temporal duration pressure what is a store of attributes. We see also that a radiant space-time with regard to absolute position in reference to common space as a reverse of polarity for that point occurring in moving from A .. B; with reference to point B .. A as the point traverses through time to point B, the point is rotated 180 degrees from a pivot perspective of radial plot where acceleration of radii is a balance of null requiring a null value of velocity hence transposition to a dimension which is dipole in nature references owned space and an inversion preserving attitude with a vector value complex of relational construct separated by time. Progression is determined by temporal gradient of space-time and references gravity with \mathfrak{D} at a negative of mode where the location is dimensional positive of common space. Thereby the space-time with reference to point A from B is inverted and must return a value which in space is a temporal event recording the events positive

evolution where the negative is as having elapsed measurable from the future dimension.

Telemetry transit flux



Here we see our pulse fading in and out of D4 at tangent with; temporal stress²¹ because gravity commands occupancy with tangent depth, a plural of space-time, denoting a swing of instance (factor flux) commensurate with time event in a physical D4 hence distance traveled through time is given time at universal constant of reference; piecemeal measurable as D4's temporal gradient. Having rotated, returning 180 degrees of zenith impasse, the space-time traversed attitude in the present and must again elapse to the future dimension B where again it is positive; D4 represented by the axis timeline in the illustration of gravitation to the future. In this illustration we can see point falling perpetually through D4 to be consumed where the rate of acceleration orbital by gravitation $-\sin$ innate in the universal D4 dimensional stress translates to its parse in D4 of universal rate at which it exceeds itself, fluid gain iteration being present as it accelerates to a 5th dimension. Acceleration by vector of null anti-verse it temporally precedes its instance iteration by a constant distance in each unique occurrence based on temporal pressure of locality space-time a velocity surface and the dimensional stress envelope of CG. Acceleration of a point gives existence of a store of properties where a constant velocity is as a void existence singularity expression hence surface and what is it's existence in cycle energy gain of acceleration in check which occupies a physical and present. This gain can neither be represented in either dimension thereby age origin and

²¹ Einstein, A., Lorentz, H. A., Minkowski, H., & Weyl, H. (1952). *The Principle of Relativity: a collection of original memoirs on the special and general theory of relativity*. Courier Dover Publications. p. 111. ISBN 0486600815.


momentum being unique is preserved by the radiance as equivocal propagation; spatial values of momentum and attitude of the falling body iterates frequency, wavelength, attitude etc: for surface. We can note decay with red shift aging that is reflection of an expanding universe and accumulation of depth at rate x^+ . A material presence of a temporal other than the location's space-time resident mode depreciates time in that space-time compensated for CG fabric by other residing rest mass material at a location radiating in atoms to maintain currency location where at the other end of this dynamic, a material as wave with induced primitive dimensional temporal exhibits natural radiance flux to maintain presence having time surface availability becoming neutrino above time in excess of its corpus and D4 volume SI expression. \mathcal{D} of velocity expressed with kinetic consistency (velocity expressed) assumed as null (0) for interstellar vehicles.

As luminal propagation exists in plural dimensionality squared at diagonal where coaxial reference of dimension A, dimension B, length and height are not equal for elapse. This is to say that a vertical selection of bi-dimension dipole reveals from sine of h a polar which measures similar to $4/10$ and $5/10$ where acceleration propagates at a constant baud Planck and is present in $5/10$ verbose with correlation elapse void moment.

Systems are at a dimension gradient and surface with Lorentz plane; matter being perfect present void ethereal as inclusion mono static solids of D4; interstellar CG press metrics are possibly represented with magnetic lines in the cosmos. Hence speed of time region dimensional pressure exhibits speed of radiance is at a sine dell divergence from edge of system to edge evidenced with current instruments and noting gravity does afford curvature for radiance propagation. The implication of this assertion is that when we observe and explore from outside the gravitational field of influence in our system we should find that systems away from our own are significantly closer than we have been able to quantize and measure from within our system which have held and propounded from classical time without the benefit of framework understanding mechanics and physicality of space-time. Other void dimension planet or stellar can possibly be present as represented by core matter at dimensional depth in D4 exhibited by comets in and around our system existing as a part of our system; since these are present in CG it may be possible to travel to alter space times traveling to below (0) space-time confines

accepted to be void because they do not have any gravity or other signatures.

Universal dimensional stress (UDS)




We have then argued that there is a time gradient of D4 by the universe having a centric dominating gravity well, stressed by foreign presence in the common space spectrum (a perfect solid), foreign presence which alone can only manifest as energy time or with mass less ethereal content distinct from the common spectrum; the most familiar observable example is a static magnetic field which exists in magnetic dimension behaving as solid, a paralleled dimension observing membrane separated dipole and capable of representation of difference between two points. Radiance energy attempts cyclically to travel with gradient to annul temporal in the accessible spectrum of existence which is physical and is a store of present at location. Radiance transponders so as to occupy space in D4 where it can have an anchored form in which it is distinct. The transponder medium then is a compression of a distance required by the spectrum for dimension ownership in a universal time immersed plane of D4 required to maintain perfect solid spectrum through dipole forces push of foreign and pull of self. This resulting in a saturated spectrum or dimensional wavelength qualifies as a distinct universal dimension like time physical (to us) dimensional plane that is mono in nature unable to express a vectored directional. Radiance supersedes itself with natural acceleration in Lorentz transformation, the difference of which from its preceding manifest is a gain and equivocal a dimension of time expressed as physically existing (a surface) background

radio. We can understand then that acceleration where the force is \mathcal{D} on a space-time and that acceleration is for example 4 meters per second. By this we have a constant rate of propagation in CG as traveling 4 meters a second a constant as radiance in the 5'th or future dimension is accelerating without markers from null and acceleration by nature requisites a future. This then becomes a mechanic of time function with the present traveling to marker free velocity in a void dimension future having yet to exist, a floating point. A spatial collection of gain maintaining existence where it is not capsule $-s^2$ escaping positive anchoring by result of a planar mono spectrum. UDS then becomes manifest of plural dimension, single location sharing perfect solids echoing dimensionality and time share existence. Note then that the event is perceived as maintained at a gradient of time in D4 and is in a state of acceleration to realize a velocity.

Variance of \mathfrak{D} with velocity:

In a state of acceleration \mathfrak{D} decreases along the body of matter in the direction of acceleration at gradient resulting that linear subsequent forwarding of matter in the previously occupied space-time exhibiting linear resistance to acceleration. A result of accelerations subsequent occupancy of space time takes place where the space ahead is a complex space time depending on a vehicles attitude with a gravity well. Physically greater space is occupied with a leading edge difference in distance excessive of rate of change through x^+ advance on rate of change requiring sustained V^e .




Specifically Quanta Space (Vol) = $-\sin (s^2 + 1/h)fx(\mathfrak{D})$ where \mathfrak{D} = dimensional stress (expressed for mechanics²²). Pressure exchanged to denote stress of a spectrum as previously discussed with space collapsing to encompass a zero point of dipole \wedge . By the use of the available s^2 , space-time zero or a non existence pivot, the stability of D4 is highlighted with a void variable CG (s^4), s^2 , s^3 and universal D4 in cosine.

²² P.A.M. Dirac, The Principles of Quantum Mechanics, Clarendon Press, Oxford, 1930

Start unit standard model per Planck proposal quantum engineering general.

Inco:



Vol = volume - quanta space
 $-\sin$ = gain
 s^2 = space-time zero (nonexistence is void)
 Σ = sum
 fx = at a function
 \mathfrak{D} = dimensional stress
 h = plancks constant

Surface, time, sums and functions including non physical bonds can be considered in functionality tabulation of time existence null manifesting where velocity is represented in pitch of space-time with eventual distension a variable of a vector \oplus ; an altered state manifesting as below / above space with indexed reference of gravity and velocity; sums and function notations on the left are exchangeable.

Identified solid dimensions at location immiscible:

1. CG – Cretina Gemeen common space, commons dimensional material, present dimension of D4 in which physical interaction takes place and to which listed below are represented to some degree.
2. - S^2 - Negative space zero, generally accepted to be nonexistence and void.
3. Magnetic North – dimension which can be interacted with through energy transfer.



4. Magnetic South - dimension which can be interacted with through energy transfer.
5. Electro Positive – harnessing energy in everyday use.
6. Electro Negative – harnessing energy in everyday use.
 - Temporal negative – equating CG.
 - Temporal positive – equating $-S^2$.

Identified ethereal dimensionality frame model as CG \mathfrak{D} with gravity defined by 1. and 2:

Prime

\wedge

Nonprime pending rhombic $(-t) \oplus h$



Frame model examples:

Non physical energy bonds:

$$\text{NPE} = (\sin^1 < \cos^2)$$

Electromagnetic or radiance:

$$\text{EM} = (\sin^3 \leq \cos^5) \wedge (\cos^4 \leq \sin^6) + (x) \text{ Matter:}$$

$$\sqrt{\text{MeV}/c^2} = (\sin^1 \leq \cos^5) \wedge (\cos^2 \leq \sin^6) + (x) \text{ and}$$

$$\sqrt{\text{MeV}/c^2} = (\sin^1 \leq \cos^3) \wedge (\cos^2 \leq \sin^4) + (x)$$

With set and subset combinations for unconfirmed prime matter with + (x) adjusting for orthogonality rhombic orientation.


Subspace dell ∇ : chromo dynamic transition.

$t^- = V^e$ acceleration decayed temporal for space-time V^e is valued in negative $\mathfrak{D} (0)$.


Temperature:

Heat = $\nabla \cdot \mathfrak{D} = t^1 \wedge t^2$ in mono planar value $< t^1.. t^2$ ie: radiated transfers $\rightarrow x$ CG in definition CG dilate of D4 \forall void at $t^0..t^1$ threshold (non event) temperature.

Clocking (space-time) point plot for frame model orbit Vol Đ spatial gravitation signature



Dynamic for temporal Đ



Radiance is in a energy state at a distance from start in each interval the value giving us the distance value of an iteration of D4 which is the value we started with, distance traveled, gives the spatial construct of D4 of the future and past dimensions apparently adjunct to one another; structured by individual temporal pressures indicating that time is gravitating universally physically an iteration where distance and pressure are variables the order thereof. Time interpolates to a surface compounded in common space to a fourth dimension, time, which embeds the past it's attributes resulting as time; a surface in the fourth dimension which is a spatial collective of the past and is it's existence. This surface is still two dimensional and how can two dimensions represent itself in one dimension common space except by taking on the fourth dimension appearing as a surface owning space (time) hence bearing functionality of distance. It is

only in the present that the radiance can exist as a surface having elapsed as such. Existence is time; the property of owning space which is a physical and material.

In order to make sense of the speed of light generally as a constant one needs to consider that radiance is gravitating to the present at a constant rate, acceleration from an adjunct future to which it has elapsed; not as propagating energetically without loss on its own and the distance traveled to the void dimensions by inversion is equivocal. As in the figure illustration above a greater or lesser swing maintains the same timing and that in any case gain (energy / matter) is a physical of D4.

For gravity, at the rhombic (point delineated) zero point D4 kernel of an atomic or elemental physical depending on strain with relation to overall mass of a structure is in orthogonal orientation (refer angular momentum). This is constrained by lines of dimensional stress along the construct of the physical allowing veer of the structure in orthogonal static with the center of mass of the associated structure, planets and so on resulting in linear gravity at a constant and consistent body alignment with regard to gravity or mass center where matter attracts matter. In this the universal, galactic, system, celestial and local sheer with space dimension is exhibited by the dimensional or physical structure of a body disposed as dimensional stress better perhaps conceived of as cosmic space-time drag giving time attributes.

We see then that gravitation is in effect a function of time spatial in the redefinition²³ of common space and therefore confer that resulting gravitational fields are a function of time. That space dimensional redefinition attributes an elevated temporal dimensionality. Also we can draw that the measurable length of the events is the same with various absolute time frames so as they are traveling at the same speed but referencing the sum body is at rest thereby instance is variant for the one than the other in delivery what embodies temporal pressure of the space-time. By this argument time travel becomes commonplace, a variable in a timeless present as distance from void replaces time for radiance as a superior yardstick. Thereby if there is such a thing as a

²³ Hermann Minkowski - Minkowski space – contrasting Eclidean spatial geometry - Raum und ziet 1909 Liepzig.

single unit of time it becomes the time in which a single sine wave (pulse) is delivered by radiance, complex hence unique. What then becomes of the notion that one wavelength is longer or shorter than the other when they both have traversed the same length of space in a given time? This is because the propagation of radiance is only a rational play on the construct of the time spatial and that radiance is more a pulse than a wave where the pulse is time which is constant at a given space-time plethora; the present in a spatial construct where length and height are ghost metrics sustained by common space stress traveling from the past to future giving the energy of the radiance in a single unit (gain); traveling thus as a spark/pulse would as physical event. This pulse then varies in pitch and yaw as a unit of time having taken on the dimension of time. Still from this pitch and yaw can be conferred the ghost length and height at s^2 is it's dimensional signature but not time as it is time as exists in plural. The metrics by which we are measuring distance travelled become then a measure of the space-time spatial and temporal pressure of the event with the spatial attribute being a constant; what is a surface or time. The future and past represented presently by the missing element of a elliptic where we have two sides of said elliptic surfaces which cannot exist unless by inference in the present as time in common space, an energy surface. Then we can begin to understand the propagation of radiance where the time dimension is consistent varying to the void dimension by gravity convolution of the future coming into the physical present at a piecemeal of temporal pressure giving the attributes by completion of the complex in event.

What is gravity ?

Gravity is a dimension's signature distortion, fold abstract to depth at tangent plural 90^0 , of space caused when matter displaces space-time location with potential location in a void. A body such as a planet displaces and incorporates space so as it could be described as there being more space available for occupancy as one moves closer to the celestial body and matter will gravitate to where there is more potential space and its displacement is to a lower space-time stress. Distortion stress is reduced with distance away from a celestial body because availability potential lessens in overall of an increased reference; celestial bodies have enough mass for ownership of the space they occupy where systems that do not, collapse where a body which does not have enough mass to own its space independently would gravitate to another body which exerts greatest gravitational relief on locality presenting potential for occupancy. Celestial bodies then facilitate an exchange of subatomic²⁴ (below space potentials) creation and repatriation by a body exerting greatest presence (system). The same is true in microgravity described as celestial bodies curving the space they occupy a difference of spatial gain.

For our purpose (logistics) this is more useful described as celestial bodies displacing dimensional space to a lower time at tangent a function of space which effects gravity. The time; as we have come to know as the present is a complex time spatial architecture. In our own system, the greater celestial bodies occupy common space with greater presence in our time. This bears on time travel, as dimensionally, a celestial body like the central sun is most present existing time spatially certainly a few minutes spatially below the earth's time having exploded there so in continuum will do so in the future yet it is an event at tangent impasse Zenith in time having a role in the present. With logistics time travel if one could distend time to travel to the future viewing our system to observe the end of time in this system the traveler would observe the energy signatures of the planets diminishing rapidly due to lack of time depth presence comparing to the suns signature finally to extinguish to a D4 void relative of future (exist). This of course does not bear on the possible patterns presented by time dilation much discussed.

²⁴ Hawking, Stephen W. (1992). Stephen Hawking's A brief history of time: a reader's companion.

The diametric of moving forwards in time is the result of polar or distended universal pressure resulting from the presence of dimensional matter foreign to common space; matter, stars, black holes, energy planets, zones owning space the physical etc. In isolation any celestial would represent as does a for example a black hole with spatial future diametrically fading away with distance where even radiance would origin as origin being it's universe past having future.

Thereby if one succeeds to slow temporal momentum in a location the result would seem as progression to the future for that location and body. Herein lies a paradox that to speed temporal pressure up in a location body results in being possible to pass a lifetime in the present²⁵ which is the accumulated past by increasing presence. This is because we are acting on a body which exists in the present in both instances of past and future yet the present of existence lies physically perpetually in the past of an event horizon divide overlapping with a void future having yet to come into existence.

What denotes a gravity signature ?

It shows to be a prize potential of distance availability with orthogonal orientation of a least distance reference extending in a straight line from a planar S^2 plural space.

What is time - minutes, seconds ?

Time is verbose expression of resolution in CG concatenating \oplus of a void (distance from)

\therefore








$t^0 = \exists \sim x \# \cdot t^1$ for which $(t^0 \Rightarrow t^1) \forall$ an \oplus proximity in iteration.

In conclusion time is all existence, the present, with it's image, embodiment of time past and future complex in a single dimension D4 (exists). The unit of time seconds,

²⁵Lene Vestergaard Hau - Department of Physics, and Division of Engineering and Applied Sciences, Harvard University, Cambridge, Massachusetts 02138, USA

minutes, hours, years is used to measure rate of change exhibited by D4 what we experience as time a continuum.

Axiom notes:



" Klockan skulle gå fortare i rymden, åtminstone om den inte skulle röra sig mycket fort i förhållande till oss. Tiden går verkligen fortare där tyngdkraften (gravitationsfältet) är svagare, så den går fortare på satellithöjd än nere på jorden. Detta är inte ett löst påstående utan ett verkligen uppmätt fenomen, men skillnaden är mycket liten så man måste ha bra klockor för att kunna mäta upp den. Tydligast är det för GPS-systemet, som måste ta hänsyn till att klockorna går fortare ombord på GPS-satelliterna än nere på jorden. Skillnaden är ungefär 38 mikrosekunder (miljondels sekunder) per dag. Det låter inte så mycket, men om man inte korrigerade för detta skulle GPS ge helt tokiga resultat (uppåt en mil fel efter bara en dag utan korrektion). Detta är såvitt jag vet det enda exemplet på "vardagsapparater" som måste ta hänsyn till den allmänna relativitetsteorin för att kunna fungera. "

Anders E. 2011-06-13²⁶


²⁶ Anders Eriksson - Swedish Institute of Space Physics, Box 537, SE - 751 21 Uppsala, Sweden

Translation:

" Time would go faster in space, at least if it does not move very fast relative to us. Time passes really quickly where gravity (gravitational field) is weaker, so the faster the satellite elevation than down to earth. This is not a loose assertion without actual measured phenomenon, but the difference is very small so you have to have good clocks to measure. This is most evident for the GPS system, which must take into account that the clocks are faster board the GPS satellites over the earth beneath. The difference is about 38 microseconds (millionths of a second) per day. It does not sound like much, but if it is not corrected for this would give the GPS completely crazy results (up one mile error after just one day without correction). This is to my knowledge the only example of "living machines" that must take account of the general theory of relativity to serve. "

Anders E. 2011-06-13 via RymdForum

Public notes²⁷ :



²⁷ Contribution rendering of tangent lines Stephen P. Covert, Ph.D. Pine View School for the Gifted, Sarasota USA

Conclusions :

An erosion of Newton's assertion that a unison embodiment in entirety cannot attain any velocity²⁸ without expelling matter in turn weakens the classical assertion that the universe is "at rest" with reference to the center of the D4 as the bodies center considering reference to space-time in a arguable infinite expanse of D4 which has no center but rather bandwidths considered time in D4 or existence; allowing for infinity distance in all directions; the existence of other distinct body systems "universes" where space is under stress in the dimension qualifies as a lesser or greater distance for the dimension bringing to bear the open ended notion of; is a body independent through ownership of space from this universe by it being of this dimension considerable as this universe ? Considerably this may qualify the debatability of the depiction of time distension as illustrated by relativity in special and general theory however planar stress can accomplish this..

This is observed by relativity's assertion that velocity denotes a character of mass where previously it is put forward that rather velocity is functioned by acceleration and denoted as a decay of surface time depth to the negative in D4 and the present.

²⁸ Newton, Isaac, "Mathematical Principles of Natural Philosophy", 1729 English translation based on 3rd Latin edition (1726)

Applied scenarios:

Logistics ETA query challenge:

A spacecraft leaves earth traveling at light speed LS 1 with a destination 4.5 light years away. At midway dell the spacecraft is traveling at earth light speed LS 1 in its locality with a time differential to earth in factor. This results that a dell¹ value is required to know the earth velocity resulting V^e/M_0 of the space craft in kilometers per hour and report distance covered per hour for ground control in order to give an accurate ETA assuming destination distance requiring dell² value for current observed distances. A velocity subspace hypothetical counters deep space clocking immersion (reduced presence) where the vessel being below time a physical chromatic tangent resulting from velocity counters the absence of gravity with velocity dell³ which is not exponential commensurate of (g) as illustrated by GPS temporal data . Using these adjustments, time dilation and related aspects can be reduced eventually to a summary of earth velocity for the vessel which can then be regarded as a yardstick measure in conjunction with a present value ratio of temporal standard for transit. What is apparent are distances are given in light years by an earlier consensus of global intelligent communities; thought to be a physical constant, this is a very serious challenge for logistics where for a star we can note that on taking the center of the earth as point location and judging a stars coordinate position in the sky, that because of gravity well properties, the position you can perceive is of deviant angles. It has been shown; digress in propagation of time with gravity and that bears on distance covered by light from one gravity well to another where in deep space time propagates faster and at an accelerated clock rate from your vantage, external to you is a slower clock rate. It has been shown that temperature and possibly subatomic potential saturation in fx of propagation bears directly on propagation of time and light speed. With these arguments when required for purpose of logistics to give an ETA for a vessel to an interstellar destination, having all information currently available, that errors persisting prohibit this.

Common scenarios of space travel logistics and debris defense

Scenario 1 . Vessels equipped with whipple shields for unnatural velocities would also need extra shielding for ultra high velocity transits.

Approach 1 . It seems an idea that a vehicle having attained terminal velocity luminal even superluminal velocity can release a gas sphere alt dry ice in which it is enveloped, possibly ahead of the vehicle, to act as a transit shield for duration of voyage to near or far systems avoiding potential collisions with micro bodies which may or may not be present past the Oort field and Allen / Kuipers belts. This presents itself as a basic maneuver with acceleration to an integral of light speed stop accelerating; the vehicle associative mass is at rest. Release herein example a boron cloud and position the vehicle behind it during transit.

Scenario 1 (a). A near earth object asteroid type celestial is calculated to be 2 AU and approaching with considerable mass M_0 at 75,000 mph to juxtapose impact earth in a critical condition.

Approach 1 (a). Launch a Euro fighter type vehicle to observe and confirm calculation and log relay observations to JAXA, Houston Centrum, Star City and ISS for analysis where on confirmation with accordance a d'Assult type equipped with alternatives Cruise / MX / Exocet and Tipo DF-41 tooled for scaled burst disturbance of space-time locality causing compressions or decompressions of space time fabric with mass energy presence at X/Z 360^0 of NEO to change the objects trajectory path.

Scenario 1 (c). FTL+ vehicle impact.

Approach 1 (c). A vehicle on earth is traveling with passenger to it's destination workplace and is impacted by a oncoming extraterrestrial utility vehicle traveling at greater than FTL critical velocity should result in gel fusion at earth geocentric core at dissolution is my drawn conclusion. The earth vehicle would have a very difficult task to note this occurrence in space-time manifested as neutrino and black body activity. Please refer to "quantum chromo dynamic transition" description of argument which supports

this argument; reasoned sense for travel would be to set travel safe destinations to left or right of plot destination and flight paths attempting also to avoid emergence with previously discussed Planck physical reality of gas and Neptune type celestials.

1 (d). Deep Space Dissolution:

A deep space environment is potentially a hazard for any vehicle due to absence of gravity well quality. In absence of a gravity well matter exceeding a time property resulting insufficient Φ and causing dissolution.

(a) An approach to solving this is to use electro and magnetic shielding creating both as static fields with roll cage designs employing vehicle as 0 frame for static and time reference replacing gravity well quality acting as an insulator. Static fields sharing a zero frame reference location separate mono dimensional distance for conjunction displacing S^2 for the vessel and an energy time quality of complex geometry suited to support some evolved spatial referencing also improving a property of a closed system for vehicle.

(b) An approach to solving this is to use dielectric and diamagnetic shielding creating both as insulators shielding vehicle mass static and time reference replacing gravity well quality acting as an insulator. Static fields sharing a zero frame reference location separate mono dimensional distance for conjunction displacing S^2 for the vessel and an energy time quality of complex geometry suited to support some evolved spatial referencing.

(c) R&D of asteroid unknown statics earth unknown statics

Scenario 2 (a).

The inference ethical implication in our system of these theoretics is to be advised of what is conceivable and a possibility that at an associative dimensional level planet celestials like Saturn and some comets could in their own frame of Planck baud spatial resonance be physical bodies like our own from what one can perceive. This said one has to reference how far removed from our materiel physicality these bodies are with regard to shine a light and mine ie: Ablation location fields (ALF) asteroids devoid of gravity at dimensional distance potential Planck dimension or similarly the rings of Saturn with significant distortion of time and gravity, comets being body trackers. Likewise extreme nova test facility peoning abrogation of celestial neighbors like Mars. With a shifting consensus of view point the argument could be made that the rings of a planet like Saturn are simply fragma of atmospheres past drawn through ionosphere and magnetic fields. A realized field of decayed void potentials in orbit of the planets gravity well.

What remains with global variable is manipulation of the present in a locality and with that reasoning is it's confines.

Scenario 3. Igniting lunar scenario in plasma pounded sphere - Tuczon.

(a) An approach in example a reaction less vehicle drive innovation using magnetic stator dynamic in hydrogen drive chamber conflicts with lunar spatial quality at S^2 resulting in ignition of lunar material with scenarios variables local .. eclipsed anoxic.

(b) An approach in example a reaction less vehicle drive innovation using magnetic stator dynamic in ammoniac drive chamber conflicts with lunar spatial quality at S^2 resulting in ignition of lunar surface transited to fourth state as plasma where energy release exceeds dissipation in atmosphere free constraints. Lunar properties present less than earth gradational gravity field strength with different meltdown properties in lateral ignition propagation. Such an eclipse ignition scenario would experience on earth an energy release for duration of $\sim 10,000$ suns resulting in carbonization of the earth's surface evidenced for example by layers of such carbon deposits in earth's crust with extinction

near .. Total of life and atmosphere an ' Anoxic event ' .²⁹ Planck scalar perturbation of incubation allowed in roll dimensional scales of $-r$ accounts for polarization of microwave background including precursor exhibiting global phase transit. Topological obstruction with field gradient that corresponds gradients in two quantities for vacuum expectation for frame model horizon with flat spectrum in key quantities observable for generic trashing at 10^{-500} sample of singularity in entropic.

Approach 3.

Currently there are several agencies that can provide guidelines for lunar access along with onboard counter measures there is a possibility to provide rapid response³⁰.

Please refer NASA Glenn, JPL, Star City, JAXA and IRF for anoxic burn scenario prognosis.

Scenario 4. Abyss Paradox³¹

The vehicle is travelling with ultra high speed and acceleration to where all variables of common space are contorted in a complex state towards a space time door.

Prognosis 4.

A vehicle is suspended at a free fall dimensional time depth without reference to common velocities and this is a directional conundrum of dimensionality.

Approach 4a.

Decelerate to neutral reference point to point of velocities attempting to reset a vessels space-time temporal locality atomic indexing of void through compression decompression for your vehicles space-time variables using quantum chromo dynamic transition

²⁹ Dr. Lawrence Krauss Inflation to Eternity at CERN - Oct 5, 2014

³⁰ Maeda, Rai-chan - Hokkaido University Faculty of Engineering - Staff of the Ministry of Education - Japan ShwayComs.

³¹ WRINKLES IN SPACETIME: The Warped Astrophysics of Interstellar - Wired magazine Editorial – Bill Gates November 2014

indicators including red shift and any available reference with a energy requirement.

Scenario 4b. Rhea Aesthetic

Near earth objects infrastructure accumulation with space debris liability of energy propagation with an extended sphere.

Prognosis 4b.

An extended sphere from system center of mass imposes propagation a dynamic of arc bridging near earth objects infrastructure with reference electric potential of the earth's surface. Bridging juxtaposition for plane of Lorentz acceleration creates arc bridges for energy lasing ad-hoc.

Approach 4b.

Satellites and infrastructure should be coated with globular insulators such as teflon in order to reiterate lasing ad-hoc by space debris pollution accumulation.³²

Scenario 5. Latinum gold shire apocalypse³³

Asteroids as big as 2 kilometers can discharge an impact energy of a million megatons and create an effect similar to a nuclear winter, with loss of crops worldwide and subsequent starvation and disease. Still larger impacts can cause mass extinctions, like the one that ended the age of the dinosaurs 65 million years ago (15 km diameter and about 100 million megatons).

Prognosis 5.

³² Gene J. Mikulka - Documentation Analyst at Crum & Forster - 2014 special relativity dialog.

³³ What our civilization needs is a billion-year plan September 23, 2012 by Peter A. Garretson

Please refer NASA Glenn, JPL, Star City, JAXA and IRF for burn scenario prognosis.

Approach 5a.

Regulatory bodies traffic control authority of asteroid proximity and mass value as an approach for permit issues.

By all herein matrix of debate and arguments presented here is analysis of interacting movement and existence in relation to time. It remains yet to identify a doorway linear or otherwise logical path which would lead to the suggestion of travel or gravitation along a mental construct dimension of time described by hours, minutes and seconds which separates from existence being time and residing undetachable from the present of float at impasse Zenith. With our universe represented physically in a dimensional plane populated D4 being a divide; the postulation of D4 physical reality does allow for the existence of alternate universe realities existing at alternative spectrums of \mathbb{D} separated by unisoned velocities as distinct from our universe however travel to which does not indicate travel along any notion of a timeline rather describable simply as other dimension property possibly occupying frustums or subsections a same location but not relating and interacting with one another physically separated by unexpressed velocities and hence dimensional time depth.

With reference to common space directional velocity can only represent itself with a null value expressing chromo-dynamic shift and this as relating to an infinite expanse D4; velocity expresses itself as in all directions simultaneously. Conceivable as one considers that when traveling away from a point in space at a hundred meters per second one can maintain that velocity to travel at the same speed going through a half circle turn and still be traveling at the same hundred meters per second now towards the same point in space hence directional velocity is a null quality exerted in all directions and time expressed functionally; with reference argument that a loop back is time decayed as an acceleration event; at no point is the vehicle's velocity slowed, which brings into question the possibility of covering distance in a sub space hypothetical (alter dimension) and the relevance of direction. Going through a half circle consumes a sum of energy to effect the change and the energy value of directional velocity is decayed mathematically to zero

referencing the unison body at ninety degrees of the turn while retaining the same level of directional velocity energy at the midpoint of the half turn. In orbital disjunction and inertial frame propulsion, space-time track parse affects deformation of space time gradient facilitating propulsion.

From this dialog, all above, the focus to me seems to be that at this location space-time; conventional theory contends that a vehicle may encounter a time floor equivalent of chromatic increasing mass argument to the big bang at a given velocity putting it at seven and a half minutes below time in this location (earth) and surface through time referenced at location. Using arguments presented here this event is described by where a gravity signature of a structure either contracts or expands to a state where a structure referencing it becomes unstable since it's signature ceases to reference a stable value from CG of this planar universe in abstract. Seems to be within reason to suggest a opinion that this nova would not have expected vibrancy, be of a filtered spectrum less the 99.9999% vibrancy yield in designed surface novas. This is perhaps a useful argument to consider should one want to plot course heading for a different system with the view that to accelerate a terra tonne vehicle at 25 gravities for a period of 31 days approximately may not in argument equate to a critical elastic tolerance breach of common space allowing fluid time linear pivot dimensionality since light speed is a natural velocity. Having postulated this advocate along with complex structure ownership of space and reference , it seems to me obvious that from in the vehicle, one would get indications of disposition from diagnostics. Such an indicator would be for example a resulting artificial gravity in the vehicle from Δ of an elasticity free space boundary. There is a possibility of noted and plausible dj encore and dj quicksilver below s^2 argument that could result in a stasis suspension, a difference of dissolution and instance accumulation for translocation.

Theoretical by:

Stefan Tubman - Logistics 2014 Asc. BA. Esq.



Credits :

- My parents Nature and nurture
- Isaac Newton Principles
- Lorentzian Special relativity dialog
- Institute Rymdforskning Observations
- Rymdforum IRF Observations
- Glenn Research Center Observations

Table : Symbol Key

SI = Quanta space

$-\sin$ = Gain

s^2 = Space-time zero (nonexistence is null) C

Σ = *Sum*

f = At a function

= Dimensional stress

h = Plancks constant

0 = fluidity of \mathfrak{D} expressed by velocity

\wp = opposition


\acute{o} =conjunction

External derivative : Starship Congress 2013

<http://www.icarusinterstellar.org/congress-livestream/>

Dell divergence equivalent = Green function calculation differential equations³⁴

Light cone \mathcal{D} @ s^2



\mathcal{D} (- y) centrifugal equinox (zenith)

³⁴ Ralph Ewig, PhD - VP of Engineering at Aerojet Sacramento, California Area Aviation & Aerospace 2013

Key note : Lene Vestergaard Hau

Lene Hau's condensate is a ground state optical super conductor referencing a ground state medium where wave form can exist less time of a universal \mathcal{D} choosing to own equilibrium continuum, referencing its own rate of change which is static between equinox and zenith.

Implications of Hau's breakthroughs is this research can progress to breakthroughs in energy storage like 802.11. Releasing energy from a condensate battery in a consistent and effective method is to fire a magnetic blast into it for duration (alt lift field) extending wave form distance from equinox (zenith) by displacement. On refinement, adaptable, energy storage fuel cells can be developed that store wave form energy at next to no weight cost and capable of phenomenal density to a cell for vehicles. An added advantage of this technology is charge flexibility for vehicles where ground to space and vehicle to vehicle refueling becomes possible.

Key note speaker : Dr. Michael Minovitch

Comments

Hoop values for elevator core scoop evaluation presented on www is a assessment calculation based on available wiki 2010 material reflecting a difference of 100:80 repelling fields of same pole di-poles 100:100 where $1N \neq 1N$ for attraction quality in Gauss law of opposite poles. Values given for elevator core estimates are based on a negligible divergence gradient of our geo magnetic field due to the size difference of opposing magnetic dipoles and a constant geo magnetic field for distance.

Core construct approach suggestion

Di-pole support structure is less cumbersome in OA's³⁵ release calling for a plasma conduit between coil skins (heat) original tokamak than with an alternative design calling for conductive gas coils/cylinders³⁶ in a proposed di-pole reactor vessel where increased weight is balanced with improving an elevator cores magnetic property. Conductive gas is introduced as medium to induction of a electromagnetic static field for wraps not requiring cooling. High voltage fine filament routing coils < 0,2mm supported to a (+/-) vertical divide in a core's chamber where filament temperature matches impedance resistance of gasses; a suitable light weight tokamak solution using conductive gas that can be a cooling medium.


³⁵ Open AeroSpace

³⁶ ShwayComs

For Magnetic Elevator


Conductive ionized gas solenoid design :

Another solenoid design is a ionized conductive gas aerospace solenoid resulting in a lightweight suitable core for a magnetic elevator core increasing design weight while lowering performance stress for a field generator. The solenoid is sheathed with an outer skin as for example a gas filled filament light bulb and as with some incandescent light bulbs one can employ thin filament wire being of insignificant mass weight being so thin very little metal is used. The tokamak ionizing chamber is filled with a conductive gas which has a higher resistance property than the cores fine filament coils wound as with a conventional solenoid however spacing from one coil to another coil of filament can be on a filament rack constructed of fine wire.



in this design the change in ohmic value as a function of temperature in the filament results that the conductive surface for energy charge throughput is increased to a field employing the conductive gas allowing higher throughput than is the capacity allowance of the filament wire on its own. As throughput is increased through the filament its ohmic resistance value increases to where it competes with the conductive gas resulting in a zone of conductivity around the filament that acts as a lightweight routing coil filling the cavity body of the tokamak . The property of arcing should in design improve the number of magnetic wraps available for magnetic yield as for example a catalyst of this property

is introduced being a catalyst is of material conductive property different from employed conductive gas consistently.



Conductance and admittance being reciprocals of resistance and impedance respectively, the tokamak's chamber gas mixture functions as a semi-conductor complementing coil filament wire routing.

Key note speaker : Joe Ritter

Comments

Telemetries telemetry etc agreed is a fine way to get to know what is out there and survey what challenges our future has in store; an approach is to monitor from midway, set up and maintain outposts for science and research data collection before attempting initiatives directed at other systems.

Nano arc second imaging may be possible with multiple high frequency processors running out of synchronization processing analogue optical imaging equipment a concept not one familiar to me and likely a concept for supercomputing to improve sample rate fps.

A magnetic field (pressure) excludes (displaces) electric potential.

An explosion originates at speed of light and propagates at a velocity rate decayed in fx of occupation of a spherical SI being exponential D enforcing a boundary event for iteration an event transitioning from point of origin to a surface Planck value (h) for subvention where $t^0 \Rightarrow t^1$ a horizon of $-\sin$ (for void) - impasse (blizzard for space weather) versus solar flare propagation such like a lightning static sphere implies a time for specific event.

Q. Why does a balloon move forward in an accelerating car ?³⁷


A. Vector interactive in an imperfect closed system moves in a forward motion and a downward pressure less rising - thnx

³⁷ www.wired.com 20140427

Local variable map : displacement technologies, tesla sphere displacement subjective of magnetic repell with temprature (dark matter excess) dynamic accounting for :

$$t = \vec{D} \cdot \vec{Velocity} \text{ (UDS) of a rotation systemic.}$$

systemic geo magneto model




NB: thermal expansion / matter SI dynamic accounting predominantly for celestial rotation along with plane of acceleration contagion³⁸.

³⁸ Daniel C. Burbank , Anton Shkaplerov, Donald Roy Pettit, André Kuipers - Expedition 31 - Soyuz TMA-22 - ISS 2012

Lifter ionocraft displacement :

With lifters³⁹ one observes ascent with elevation of a field removed from curved locality; distinct geometric spheres elevating with dynamic of (Vol) distribution, lower and upper volumes displacing one another.



An observation of passive dual pressure shrinking and expanding in dynamic of spatial differential; distinct hemispheres (tesla static) being a dimensional displacement of existing fields with conjoined -sin by volume in (fx) of field gradient and a zero frame vehicle having aligned fields plus (van de graaf) initial event a static. Ionocraft lift vehicles are potentially capable of lifting lunar mining payloads when factoring increased displacement parameters. Concepts face a challenge of glass ceiling (floor) which can be explored with drones from an insulated pylon pedestal using a microwave fueled static field ∴ ionocrafts exhibit a sticky tesla field property. In the earth's tesla sphere a greater exclusion of complex space volume is realized with less energy since a magnetic field displaces an electro one for a complex -sin; this type of vehicle does not ascend by (fx) displacement of air complex and comparable results are realized at a different locations. An observation for this figure can be that (t) -sin in this figures upper hemisphere is $\vec{t^0}$.. $\vec{t^1}$ geometrically > than (t) -sin in it's lower hemisphere which \Rightarrow that propagation in it's upper hemisphere is $> \neq$ temporal propagation in it's lower hemisphere with $\oplus S^2$ null mass referenced as *Tesla* (10) SI is further from void where $\mathfrak{D} \uparrow > \downarrow$ in verbose

³⁹ <http://en.wikipedia.org/wiki/Ionocraft>

correlation. A lunar gravity sphere presents a spatial property less complex than the earth's due to a smaller size, lack of atmosphere with improved curvature for lifters; it is conceivable that static field separation is a likely force that maintains asteroid fields, preventing their collapse by SI -sin ∴ ownership ⇒ spheres of influence.

Keynote : E. E. Podkletnov (Yevgeny)

Diametric Propulsion Drive

www.shwaycoms.com

Patentansökan nr 1400129-1


PRV : Not Submitted as Open Aerospace at www.open-aerospace.org

Brief :

This document is a description covering an overview of Podkletnov Diametric Propulsion a diametric drive which is a overview of a previously unknown and undocumented functional acceleration manipulation device which is a concept introduced 2014. After reading this document you will basically understand mechanism of how to build a functional modeled propulsion device and have a understanding of functionality. Podkletnov diametric is entirely an innovation invention. This device is a rational functional aerospace propulsion chassis concept which introduces a new innovation in methodology unexpressed prior to this document in 2014. This innovation by assessment of Eugene Podkletnov a colleague from BPPP 2002 theoretical principles and proposals are evaluated over several years to present of his achievements; data was subsequently collected and interpreted. The device is a Podkletnov diametric acceleration device and is a innovation 2014-03-07. Present here is manipulation which covers its capability of acceleration as well as elaborated proposal of use as a propulsion device. This document should be reviewed by a applied physicists and engineers for interpolation assessment.


Diametric reference :

Rotation has the potential to accelerate and given torque / coreolis / centripetal, Lorentz force properties the tensile structure of structural composition will use energy to compete for and maximize space available to it at 90 degrees. When spun into a curved space rotation at a high state of torque acceleration the disks will occupy and attempt to own the path of least resistance affording maximum space this is to say that it will occupy with great force the available space at 90 degrees of spin along the equatorial of the axis of a disk component. We can then say that the introduction of a quantum vacuum gradient will cause a quantum vacuum distension gradient in opposition to the 90 degree spin of the axis of the disks causing it to consummate a distension state of acceleration reference facilitating propulsion. The device allows transference from gyroscopic rotation stasis to diametric acceleration at potential between parallel planes of rotation.



configuration for a diametric drive in R&D.

Perspective:



negative reference planar floor

S^2

This illustration shows a torus wave form with a gradient reference of \exists a void and is between existence existing above a planar dimension (having energy). A torus with its shadow reference to a void propagates with drag since CG planar cannot consume its reference to a void hence propagating at a velocity rather than an acceleration for example a parachuted fall that acceleration is matched by a coefficient drag. For the void dimension S^2 presenting a potential with gravity signature. Seen here a electromagnetic wave form shows a singular sharing a point at center of plane of positive reference which is its complex point for space-time coordinate; complex because the point is referenced and is a \mathcal{D} . Seen in this way it is this point at center positive plane space-time that \exists with fictitious quality since the torus both \exists and \exists reflecting a gradient with a void \Leftrightarrow for both. A helium environment would contribute with flux of free space for subatomic potential funnel of a monopole possibly from a static field Hutchison monopole ranging a length for reversion RF (Podkletnov).

A Hutchison effect shows to displace an object in a gravity field for field aligned orthogonal atoms excited and producing subatomic potential (void potential) which enables the object to compete for ownership of space eventual orbit better while producing void potential along existing field alignment. For this drive to function potential

is vortexed to a monopole which is reverted by a Podkletnov plane at one end resulting in a diametric spatial configuration resembling a segment of a gravity well.

A Podkletnov diametric drive resembles spatial distribution of a wave form to facilitate propulsion _____ .

Reference Symbol	Symbol Lock	Meaning Definition	Example
·	and	and	$x \cdot y$
^	caret / circumflex	and	$x \wedge y$
@	ampersand	and	$x @ y$
+	plus	or	$x + y$
∨	reversed caret	or	$x \vee y$
	vertical line	or	$x y$
X'	single quote	not - negation	x'
X	bar	not - negation	\bar{x}
¬	not	not - negation	$\neg x$
!	exclamation mark	not - negation	$! x$
⊕	circled plus / oplus	exclusive or - xor	$x \oplus y$
~	tilde	negation / approximation	$\sim x$
⇒	implies		
⇔	equivalent	if and only if	
∀	for all		
∃	there exists		
∄	there does not exist		
∴	therefore		
∵	because / since		Open Source Pascal C+